Missouri Botanical Garden

Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

2051-2068

Sello's notes on S Amer Cacti

Venezuela Coll ⁊ Coll Kew

Wedells figures of S. Amer Cacti

Notes made in Collections

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
copyright reserved
cm 0 1 2 3 4 5 6 7 8 9 10

Aesthaea hirsuta L.

Spr III, 108
R. II, 375

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

In Apricis prope
Viersdein
[Sch]

○ Europ. austr

3385

Sellow, Cactae ~~1000~~ Extract of notes Berlin June 1869

Sello not Sellow !

53. Cactus verticillatus ?

Calyx apice 3-5 squamosus, ventre squam. 1 vel 2 interr.
Petala 9 3-seriata ovata omnia patula alba
inaequalia
stamina 36 antheris rubentibus
stigma capitatum profunde bilobum
ovarium 1-loculare placentas 3 parietales
ovula resiliata
fructus sordide pallidus ovalis 16 Jun. 1825
planta ramosa parasitica in truncis vetustis
caulis teres aphyllus, rami verticillati patuli
saepe dichotomi elongati

87 Cactus clavatus, parasiticus in arboribus
10br (Octob.) 1828
caulis ramosissimus 2-3-chotomus, articuli
clavaeformes; flores sessiles terminales laterales
lanuginis exterioribus rubescentibus
stigma capitatum 5 fidum.

821. Parasiticus in sylvis, (20 Sept.?) (7br) 1829
Articuli complanati repando crenati — —
flores vellis albidis obtecti. Margo purpurascens.
[Articulum? flos?] Perianth. alba lanuginis exterioribus apice purpurascentibus, interioribus rotundatis
apice reflexis; antherae albae

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Sellow, notes.

343 Cactus verticillatus ?.

Ramosissimus, ramosus, ramis verticill 3–4 articulis teretibus, utrinque ad articulationem subclavatisque viridis. Flores terminales, Calyx

15 8bre 29

345. Cactus

Caulis pendulus teres verticillatus, rami 2–3–4 articulis filiformibus ad articulationem ~~vix~~ ficiformis. Baccæ albæ obovato-globosæ umbilicatæ 0.3–0.4" diam.

21 8bre 29

396

Caulis 3angularis articulatus art.c. 2–3'. angulis repandis stellato-spinosis; sp. brevibus stellatis, basi connatis — scandens vel decumbens —

Flos 8–10" longus infundibuliformis tubo squamis imbricatis rare vestito — Calycis limbi lineari-lanceolati, exteriores minor. viridi. interiores albis pellucidis

Ovarium tuberculis densis imbricatis vestitum in squamulam deltatis, axilla stellato spinosa

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3386

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Sellow notes on Cactaceae

1000. Caulis teres repe 3 pedalis diam. 2-3 poll. erectus
16-18-costatus, dense areolatus; areol planus 30 stellat.
recti retrorsum straminei, long. 2-pollicares.
Fl. tubus 2" ultra longus laxe longe fusco
tectus; petala candida anguste lanceolata cuspidata
basi attenuata; sepala ovata, cuspidata; antheræ
breviter acuminatæ [cuspidatæ?] Stigma
12-13 partit. — In rupibus. 10 8br 30

884 Cactus alpinus [Epiphyllum
Perianthium violaceo-roseum, laciniis anguste
lanceolatis filamentis & antheris violaceo-roseis cum
perianthio ascendentia ejusdem longitudinis
Stigma capitatum 4-partitum
Ovarium compressato-globosum obsolete 6-costatum
ovula placentis 6 parietalibus affixa
Caulis articulatus, articulis superioribus
cuneiformibus, inferioribus oblongis grosse
subserratis costarum 3-4 fasciculis pallidis vare obsitis

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Sellowii mss notes Sello s.n. ω !

3192 Cactus mitis - [Echinopsis !]

Caulis sphaericus 10-costatus spiraliter costis crenatis areolis stellatim aculeatis; aculeis 12-14 reflexis subflexuosis fusco-rubris.

Flores in superioribus aculeorum fasciculis sessiles, campanulati; ovarium sepalis imbricatis axillaribus fusco-lanatis aculeiferis; squamis lanceolatis, acutis aculeis 4-6 flexilibus fusco-rubris

Petala anguste lingulatae apice fimbriato-serrulatae mucronatae sulphureae

filamenta petalis triplo breviora flava

interiora basi purpurea

Stylus tubularis striatus, stigm capitatum 14-partitum purpureum.

Puerto Allegro - Rio Grande Heft III. 310 6m 25

3193 Cactus pungens

subglobosus 15-18 costatus; costis (alternatim nunc compressis nunc incrassatis), carinatis, tuberculis confluentibus, stellato-aculeatis; aculeis rectis 6-8 rad centrali erecto, ceteris divaricatis albo-cinereis.

Flores centrales 10 et plures, campanulati extus squamis subulatis imbricatis mucronatis et albo lanatis, in axillis sepalor ext. setaceis

petalis lingulatis ovatis mucronulatis apice argute serrulatis sulphureis, basi aurantiacis purpureisque.

filamenta periantheo quadrupla breviora

Stylus crassiusculus striatus, stigm 6-7 partitum purpureum

Puerto Allegro - Rio Grande Heft III

31 10 6m 25

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3387

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Wedells figures were drown on the spot in
Castelnau's South American Expedition.

Wedells' South American Cactaceae

Copied from Mr Wedells originals, Paris 1857. July.

1	Meloracteus "placentiformis"	placed among Meloracti
2	Echinocactus	see among Echinocacti
3	C	4
4	C	4
5	C	4
6	C	4
7	C	4
8	C	4
9	C	4
10	C	4
11	C	4
12	C	4
13	C	4
14	Pilocereus	see among Pilocerei
15	Cereus ?	see Cereus
16	Cereus	4
17	C	4
18	C	4
19	C	4
20	C	4
21	C	4
22	C	4
23	C	4
24	C	4
25	C	4
26	C	4
27	C	4
28	C	4
29	C	4
30	C	4

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3388

31 Lepisineum commune? Rio see among Lepisineæ.

32 Opuntia " " Opuntieæ

33 Op "

34 Op "

35 Op "

36 Op "

37 Op "

38 Op. "

39 not found

40 Peiresia aculeata from Rio see among the Peiresieæ

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cact. 108 Sept 1856 429

Notes made in looking through
A. Gray's coll. of Cactaceae.

A dry specimen of Wright's pl. no
very fine June 30th 1849 on Elm Creek
west Texas.

Mam. clavi. Echinus

Ob. rather intermediate between
this and M. radiosa
Tuberculis laxis, conicis, acutis
radialibus 12 subcrassis,
centralibus 1-3, 2 supinis oblongis
cum radialibus implicatis v. nullis
aculeo robustiore subulato
recurvato, supra petiolo
sursum applanato, flore
bicunciali, flavo, genitalibus
muticis rigescentibus

I take it to be M. radiosa

Seeds like my specimens
of M. Echinus; but
I think after mature reflexion
that it is rather a form of
Mam. radiosa.

Echinocactus Sandiflon Jay
is the one from Chili with woolly
flower = E. texensis
Opuntia Missouriensis
from Clear Water, Oregon
Rev. Mr Spalding —
Stony bluffs May 14th
approaching to var. albispina

in the Kooskooske region

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Opuntia Wrightii Torr. Wright
with 3 spines usually; the
2 upper ones a little shorter
than the lowest one and
laterally divergent; all
deflexed — Limpio June 11th

Mam. Scheerii var. Valida
from Eagle springs; 4 caespitose,
10–12 spines, about 1 inch long,
not very stout, tubercles 7–9
lines long; flowers 2 inches
long; stigmata 8–10 filiform.

One specimen has
fewer barely 6 lines
long, 6–7 radial &
1 central spine; all
6 to 9 lines long.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Opuntia, quite common
about Beaufort South Carolina,
3 feet high, sent by
Mr Tuomey State Geologist
of South Carolina, March 30
1846. —

One joint obovate 7 inches
long, 4 inches wide
pubescent large, distant 1/2–
1 1/4 or 2 inches on the surface
(closer on the edges)
bristles stout, yellow

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

spines 3–5 petulous, not
deflexed; the longer ones 1/4
the shorter ones 1/2 inch long, all
of equal strength stout
compressed usually but not sharp angled.

May be C. Suna,
though C. polyanthus seems also
to be a similar plant.

3389

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Schenck's seeds from Uganda — coll by Dr Reid

Cactus Nopal — perhaps Op. Basiliensis

Cararoré menor — Cereus, germinated

Cararoré mayor — Cereus

Pitagaya [Pitajaya ?] amarilla, fruta sabrosa para comer



3390

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Chile

Cactus seeds sent by Scherzer to Seitz
coll. in Chile by Dr Ried
rec'd by Seitz 1869

"Caracore major"

seedling, 4 angled Cereus youngest spines without pubescence
cotyledons very short red brown plant

"Caracore menor"

seedling c 4 wing-angled Cereus, youngest spines very
cotyledons longer — plant red brown pubescent

"Pilajaya amarilla" a radiant Cereus 4 angled, with broad
rounded cotyledons — already aerial rootlets —
plant light green — spines white, smooth

"Cactus (Nopal)" a large Opuntia, woolly seed, Brasil?

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3391

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Mam. calcarata gât. Spec. Salm Otok 1849

nasp Sodymondes, dof gât rossfind

M. stobiliformis = M conoidea DC

Cereus Deppii Otonis ✓ ff d. nudyff. Deppii

C. proliferus nii nasp O. gracilis, ube rossfund.

O. arborescens = O. stellata Salm (ofsen

Cassper-Brieg.

O. macrorhiza ? Texas gât. (writt. intermedia & vulgaris

O. setispina O. Ch. Lemaire gât

O. Engelmannii. z Ch. Lemaire (writt Dillenii & polyantha)

O microdasys laevis v Salm Dyck, Salchillo

O. Fiura ?! Texas.

C. caespitosus subs. Ech Reichenbachii (Sept 48)

E. setispinus =

P. hamatus = E. Muhlenpfordtii"

Fen

= E. hamatus Muhlenpf.

3392

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Salm's Letter 13 July 1850

Gregg Cereus ad Mexico usq Candolleus, Deppeana
unica Ad Z. Cophogoni dongoni gehörig.

Cer Deppei Salmii vielleicht Z. C. arenosus?
C. prostratus mihi = pentalophus DC? Zu Pf
C. coccineus C. phoeniceus Z. cinnamomeus Deppei
ode punicens)

Ad Salm Z. Cereus. Mam. calcarata DC
M. nigrocalcarata
Ech. unguispinum
C. Greggii



County of St. Louis, ss.

ouri,

GREETING:

tting aside all manner of excuse and delay, you appear before
of St. Louis, on the 8th day of December
say in a certain cause pending in said Court, wherein
ntiff and

WITNESS, MICHAEL S. CERRE, Clerk of our said Court, with the seal thereof hereto affixed, at office in the city of St. Louis, this 6th day of Dec in the year of our Lord eighteen hundred and 31

M S Cerré CLERK.

3393

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Cactee (Chilense ?)

(mihil Scheyer ?).

Cassiope menor Baraveta gonas

fruta chica

C ——— major

Pitayaya colorada

P. amarilla etc

Parasita carecel fruta rosa

vera sereson

Planta de Cadiz que da pequeñas

frutas coloradas crece

cultivem salisbarii

Cult. in Hort Dantwitz

et Hort Schoenbrunn

Bensler Inspector Hort Bot

Vindob.

Mem. Vienna. Jul. 1869

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3394

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Many Leona woolly ax-b to Parry Sept, July 1869

plant cyl. 1-" x 1½

1868 Seed gathered with Leiz July 1869

Men. Palmeri

Op. arborescens cyl.

Op. Bigelovii cyl.

Coh. Lewisii decidg pubescent yng

central stem, mid leaf

Opl. Palmeri with hairy spines

Echinocereus Stramineus? pluricostatus? (Parry)

M. Grahamii Growing Nursery

[Schweinfurth 2 forms

J. G. Storch

Austin, Nevada

Oyster Canon, Nye County

Mam. Longimamma Leiz

M. applanata

Op. Columbiana Found Sept

and Oct 1868 by Prof. Watson

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3395

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Hb Mus Palat Vindob Jul 1869

Cactus flor. rubri, trunci 2–3 poll. alti saepe
caespitosi, tum minores
Chili boreal, flori grandiori aperti
versus litteris oceani, Coquimbo Aug. 1827
Ed. Poepp.

flowers apparently pale red – yellowish
scales at ovary and tube woolbearing
numerous and apparently irregular brown spines

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3396

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Emory 1846 Op. basilaris

Op. fissilata Nov 17

Op. (an arborescent form
near arborescens) Nov 13. 21
1846

James — Long Exp. Op. fruten—
on the upper Ark & Platte (arborescens?

Fremont

3397

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS